## TENDER DOCUMENT FOR TOOLS EQUIPMENTS SESSION 2014-15 Cost:Rs.300/-

| S.No | Trade | Scheme | Name of Tool item with  | Make/              | Rate per | VAT | <b>Total Rate</b> |
|------|-------|--------|---|--------------------|----------|-----|-------------------|
|      |       |        | specification as per syllabus   | Brand              | Unit     |     | per Unit          |
| 1.   | MMV   | Normal | Allen Key set of 12 pieces (2mm to 14mm)  | Taparia/Pye        |          |     |                   |
| 2.   | MMV   | Normal | Caliper inside 15 cm Spring   | ISI                |          |     |                   |
| 3.   | MMV   | Normal | Calipers outside 15 cm spring   | ISI                |          |     |                   |
| 4.   | MMV   | Normal | Center Punch 10 mm. Dia. x 100 mm.  | Taparia/Pye        |          |     |                   |
| 5.   | MMV   | Normal | Dividers 15 cm Spring   | ISI                |          |     |                   |
| 6.   | MMV   | Normal | Electrician Screw Driver 250mm  | Taparia/Pye        |          |     |                   |
| 7.   | MMV   | Normal | Hammer ball peen 0.5 kg with handle   | Taparia/Pye        |          |     |                   |
| 8.   | MMV   | Normal | Hands file 20 cm. Second cut flat   | JK                 |          |     |                   |
| 9.   | MMV   | Normal | Philips Screw Driver set of<br>5pieces (100 mm to 300 mm)   | Taparia/Pye        |          |     |                   |
| 10.  | MMV   | Normal | Pliers combination 20 cm.   | Taparia/Pye        |          |     |                   |
| 11.  | MMV   | Normal | Screw driver 20cm.X 9mm. Blade  | Taparia/Pye        |          |     |                   |
| 12.  | MMV   | Normal | Screw driver 30 cm. X 9 mm.<br>Blade  | Taparia/Pye        |          |     |                   |
| 13.  | MMV   | Normal | Scriber 15 cm   | Taparia/Pye        |          |     |                   |
| 14.  | MMV   | Normal | Spanner D.E. set of 12 pieces (6mm to 32mm)   | Taparia/Pye        |          |     |                   |
| 15.  | MMV   | Normal | Spanners socket with speed handle,<br>T-bar, ratchet and universal upto<br>32mm set of 28 pieces with box | Taparia/Pye        |          |     |                   |
| 16.  | MMV   | Normal | Steel rule 30 cm inch and metric  | Omega/crys<br>tall |          |     |                   |
| 17.  | MMV   | Normal | Steel tool box with lock and key (folding type) 400x200x150 mm  | Taparia/Pye        |          |     |                   |
| 18.  | MMV   | Normal | Wire cutter and stripper  | Taparia/Pye        |          |     |                   |
| 19.  | MMV   | Normal | Adjustable spanner (pipe wrench 350 mm)   | Taparia/Pye        |          |     |                   |
| 20.  | MMV   | Normal | Air ratchet with standard accessories   | Taparia/Pye        |          |     |                   |
| 21.  | MMV   | Normal | Caliper inside 15 cm Spring   | ISI                |          |     |                   |
| 22.  | MMV   | Normal | Calipers outside 15 cm spring   | ISI                |          |     |                   |
| 23.  | MMV   | Normal | Carburetor repair tool kit  | ISI                |          |     |                   |
| 24.  | MMV   | Normal | Circlip pliers Expanding and contracting type 15cm and 20cm each  | Taparia/Pye        |          |     |                   |
| 25.  | MMV   | Normal | Clamps C 100mm  | Taparia/Pye        |          |     |                   |
| 26.  | MMV   | Normal | Clamps C 150mm ,200mm   | Taparia/Pye        |          |     |                   |
| 27.  | MMV   | Normal | Coil spring compressor for suspension spring  | ISI                |          |     |                   |

| 28. | MMV      | Normal  | Compression testing gauge suitable for diesel Engine         | Taparia/Pye           |  |
|-----|----------|---------|--|-----------------------|--|
| 20  | NANAS7   | Normal  | with standard accessories                                    |                       |  |
| 29. | MMV      | Nominai | Depth micrometer 0-25mm                                      | Mitutoyo/A<br>sddison |  |
| 30. | MMV      | Normal  | Dial gauge type 1 Gr. A                                      | Mitutoyo              |  |
| 50. | 171171   |         | (complete with clamping devices                              | Williamoyo            |  |
|     |          |         | and withmagnetic stand)                                      |                       |  |
| 31. | MMV      | Normal  | Dividers 15 cm Spring  | ISI                   |  |
| 32. | MMV      | Normal  | Drift Punch Copper 15 Cm                                     | ISI                   |  |
| 33. | MMV      | Normal  | Drill point angle gauge                                      | ISI                   |  |
| 34. | MMV      | Normal  | Drill twist 1.5 mm to 15 mm                                  | ISI                   |  |
|     |          |         | (various sizes) by 0.5 mm                                    |                       |  |
| 35. | MMV      | Normal  | Electric testing screw driver                                | Taparia/Pye           |  |
| 36. | MMV      | Normal  | Engineer's square 15 cm. Blade                               | Taparia/Pye           |  |
| 37. | MMV      | Normal  | Engineers stethoscope  | ISI                   |  |
| 38. | MMV      | Normal  | Executive Auto Electrical tool kit                           | ISI                   |  |
| 39. | MMV      | Normal  | Feeler gauge 20 blades (metric)                              | Taparia/Pye           |  |
| 40. | MMV      | Normal  | File flat 20 cm bastard                                      | JK                    |  |
| 41. | MMV      | Normal  | File, half round 20 cm second cut                            | JK                    |  |
| 42. | MMV      | Normal  | File, Square 20 cm second cut                                | JK                    |  |
| 43. | MMV      | Normal  | File, Square 30 cm round                                     | JK                    |  |
| 44. | MMV      | Normal  | File, triangular 15 cm second cut                            | JK                    |  |
| 45. | MMV      | Normal  | Files assorted sizes and types                               | JK                    |  |
| 1.5 | 10.07    | Normal  | including safe edge file (20 Nos)                            |                       |  |
| 46. | MMV      |         | Flat File 25 cm second cut                                   | JK                    |  |
| 47. | MMV      | Normal  | Flat File 35 cm bastard                                      | JK                    |  |
| 48. | MMV      | Normal  | Hacksaw frame adjustable 20-30cm                             | Taparia/Pye           |  |
| 49. | MMV      | Normal  | Hammer Ball Peen 0.75 Kg                                     | Taparia/Pye           |  |
| 50. | MMV      | Normal  | Hammer Chipping 0.25 Kg                                      | Taparia/Pye           |  |
| 51. | MMV      | Normal  | Hammer copper 1 Kg with handle                               | Taparia/Pye           |  |
| 52. | MMV      | Normal  | Hammer Mallet  | Taparia/Pye           |  |
| 53. | MMV      | Normal  | Hammer Plastic   | Taparia/Pye           |  |
| 54. | MMV      | Normal  | Hand operated crimping tool                                  | Taparia/Pye           |  |
|     |          |         | (i) for crimping up to 4mm                                   |                       |  |
|     |          |         | and (ii) for crimping up to                                  |                       |  |
| 55. | MMV      | Normal  | 10mm   | T                     |  |
| 33. | IVIIVI V | Noma    | Hand reamers adjustable 10.5 to 11.25 mm, 11.25 to 12.75 mm, | Taparia/Pye           |  |
|     |          |         | 12.75 to 14.25 mm and 14.25 to                               |                       |  |
|     |          |         | 15.75 mm   |                       |  |
| 56. | MMV      | Normal  | Hand Shear Universal 250mm                                   | Taparia/Pye           |  |
| 57. | MMV      | Normal  | Hollow Punch set of seven pieces                             | Taparia/Pye           |  |
|     |          |         | 6mm to 15mm  |                       |  |

| 58. | MMV    | Normal | Horn and Horn relay  | Taparia/Pye        |   |
|-----|--------|--------|--|--------------------|---|
| 59. | MMV    | Normal | Impact screw driver  | Taparia/Pye        |   |
| 60. | MMV    | Normal | Injector cleaning unit   | Taparia/Pye        |   |
| 61. | MMV    | Normal | Injector testing set (Hand tester)                                   | Taparia/Pye        |   |
| 62. | MMV    | Normal | Insulated Screw driver 20 cm x                                       | Taparia/Pye        |   |
| 02. | 1,11,1 |        | 9mm blade  | Tupana 2 ye        |   |
| 63. | MMV    | Normal | Insulated Screw driver 30 cm x 9mm blade                             | Taparia/Pye        |   |
| 64. | MMV    | Normal | Left cut snips 250mm   | Taparia/Pye        |   |
| 65. | MMV    | Normal | Magneto spanner set with 8 spanners                                  | Taparia/Pye        |   |
| 66. | MMV    | Normal | Outside micrometer 0 to 25 mm  | Mitutoyo           | - |
| 67. | MMV    | Normal | Outside micrometer 25 to 50 mm                                       | Mitutoyo           |   |
| 68. | MMV    | Normal | Outside micrometer 50 to 75 mm                                       | Mitutoyo           |   |
| 69. | MMV    | Normal | Outside micrometer 75 to 100 mm                                      | Mitutoyo           |   |
| 70. | MMV    | Normal | Philips Screw Driver set of 5 pieces (100 mm to 300 mm)              | Taparia/Pye        |   |
| 71. | MMV    | Normal | Pipe cutting tool  | Taparia/Pye        |   |
| 72. | MMV    | Normal | Pipe flaring tool  | Taparia/Pye        |   |
| 73. | MMV    | Normal | Piston ring compressor   | Taparia/Pye        |   |
| 74. | MMV    | Normal | Piston Ring expander and remover.                                    | Taparia/Pye        |   |
| 75. | MMV    | Normal | Piston Ring groove cleaner.  | Taparia/Pye        |   |
| 76. | MMV    | Normal | Pliers combination 20 cm.  | Taparia/Pye        |   |
| 77. | MMV    | Normal | Pliers flat nose 15 cm   | Taparia/Pye        |   |
| 78. | MMV    | Normal | Portable electric drill Machine                                      | Taparia/Pye        |   |
| 79. | MMV    | Normal | Prick Punch 15 cm  | Taparia/Pye        |   |
| 80. | MMV    | Normal | Punch Letter 4mm (Number)  | Taparia/Pye        |   |
| 81. | MMV    | Normal | Scriber 15 cm  | Taparia/Pye        |   |
| 82. | MMV    | Normal | Spanner Clyburn 15 cm  | Taparia/Pye        |   |
| 83. | MMV    | Normal | Spanner T. flocks for screwing up and up-screwing inaccessible       | Taparia/Pye        |   |
| 84. | MMV    | Normal | Spanner, adjustable 15cm.  | Taparia/Pye        |   |
| 85. | MMV    | Normal | Spanners socket with speed handle, T-bar, ratchet and universal upto | Taparia/Pye        |   |
| 86. | MMV    | Normal | Spark lighter  | Taparia/Pye        |   |
| 87. | MMV    | Normal | Starter motor axial type, pre engagement type & Co-axial type        | Taparia/Pye        |   |
| 88. | MMV    | Normal | Steel measuring tape 10 meter in a case                              | Omega/Cry<br>stall |   |
| 89. | MMV    | Normal | Steel rule 15 cm inch and metric                                     | Omega/Cry<br>stall |   |
| 90. | MMV    | Normal | Steel rule 30 cm inch and metric                                     | Omega/Cry          |   |

|      |                    |        |  | stall       |  |
|------|--------------------|--------|--|-------------|--|
| 91.  | MMV                | Normal | Torque wrenches 50-225 Nm                    | Taparia/Pye |  |
| 92.  | MMV                | Normal | Trammel 30 cm                                | Taparia/Pye |  |
| 93.  | MMV                | Normal | Tread wear indicator                         | Taparia/Pye |  |
| 94.  | MMV                | Normal | Universal puller for removing                | Taparia/Pye |  |
|      |                    |        | pulleys, bearings                            |             |  |
| 95.  | MMV                | Normal | Vernier caliper 0-300 mm with                | Mitutoyo    |  |
| 96.  | MMV                | Normal | least count 0.02mm Vice grip pliers          | Taparia/Pye |  |
| 97.  | Electrician        | Normal | Steel tape,15 m length                       | Omega/Cry   |  |
| 71.  |                    |        | Steer tape,13 in length                      | stall       |  |
| 98.  | Electrician        | Normal | C-Clamp 200 mm, 150 mm and                   | Taparia/Pye |  |
| 0.0  | Electrician        | NI 1   | 100 mm                                       |             |  |
| 99.  | Electrician        | Normal | Spanner Adjustable 150 mm 300mm              | Taparia/Pye |  |
| 100. | Electrician        | Normal | Blow Lamp 0.5 Itr                            | Taparia/Pye |  |
| 101. | Electrician        | Normal | Chisel Cold Firmer 25X200mm                  | Taparia/Pye |  |
| 102. | Electrician        | Normal | Chisel 25 mm & 6 mm                          | Taparia/Pye |  |
| 103. | Electrician        | Normal | Rawl plug tool & bit                         | Taparia/Pye |  |
| 104. | Electrician        | Normal | Pully Puller                                 | Taparia/Pye |  |
| 105. | Electrician        | Normal | Bearing Puller                               | Taparia/Pye |  |
| 106. | Electrician        | Normal | Thermometer 0 to 100 deg                     | Taparia/Pye |  |
|      |                    |        | Centigrade                                   |             |  |
| 107. | Electrician        | Normal | Scissors Blade 150 mm                        | Taparia/Pye |  |
| 108. | Electrician        | Normal | Crimping Tool                                | Taparia/Pye |  |
| 109. | Electrician        | Normal | Chisel Cold flat12 mm                        | Taparia/Pye |  |
| 110. | Electrician        | Normal | Mallet hand wood 0.50 kg                     | Taparia/Pye |  |
| 111. | Electrician        | Normal | Hammer Extractor ttype 0.40 kg               | Taparia/Pye |  |
| 112. | Electrician        | Normal | Hacksaw frame 200 mm 300 mm adjustable       | Taparia/Pye |  |
| 113. | Electrician        | Normal | Outside & Inside Divider Calliper            | Taparia/Pye |  |
| 114. | Electrician        | Normal | Tweezers 100 mm                              | Taparia/Pye |  |
| 115. | Electrician        | Normal | D.E. Metric Spanner                          | Taparia/Pye |  |
| 116. | Electrician        | Normal | Drill S.S.Twist block 2 mm, 5mm 6mm set of 3 | Taparia/Pye |  |
| 117. | Electrician        | Normal | Plane, smoothing cutters 50 mm               | Taparia/Pye |  |
|      |                    |        | -  | /JK         |  |
| 118. | Electrician        | Normal | Gauge, wire imperial                         | Taparia/Pye |  |
| 119. | Electrician        | Normal | File flat 250 mm bastard                     | JK          |  |
| 120. | Electrician        | Normal | File Flat 250 mm smooth                      | JK          |  |
| 121. | Painter<br>general | Normal | Rule wooden(size 2 No4 inch)                 | ISI         |  |
| 122. | Painter<br>general | Normal | Divider steel 1 No50 mm                      | Omega/ISI   |  |
| 123. | Painter<br>general | Normal | Plumb bob 2 No oz                            | ISI         |  |
| 124. | Painter<br>general | Normal | Knife Chisel                                 | Taparia/Pye |  |

| 125. | Painter              | Normal | Knife Stopping                 | Taparia/Pye |  |
|------|----------------------|--------|--------------------------------|-------------|--|
|      | general              | 37 1   | ** 0                           | Tupunut ye  |  |
| 126. | Painter<br>general   | Normal | Knife Hacking                  | Taparia/Pye |  |
| 127. | Painter<br>general   | Normal | Scraper                        | Taparia/Pye |  |
| 128. | Painter              | Normal | Pliers Insulated               | Taparia/Pye |  |
| 120  | general<br>Painter   | Normal | Pincer                         |             |  |
| 129. | general              |        |                                | Taparia/Pye |  |
| 130. | Painter<br>general   | Normal | Screw Driver 2 No00 mm         | Taparia/Pye |  |
| 131. | Painter<br>general   | Normal | Stainless Steel Rule 48"       | Omega/ISI   |  |
| 132. | Painter              | Normal | Orbital wire brushes           | Taparia/Pye |  |
| 133. | general<br>Painter   | Normal | Scriber                        | Taparia/Pye |  |
|      | general              |        |                                | Tapana ye   |  |
| 134. | Painter<br>general   | Normal | Hand Saw 450 mm                | Taparia/Pye |  |
| 135. | Painter<br>general   | Normal | Tannin Saw 300 mm to 375 mm    | Taparia/Pye |  |
| 136. | Painter<br>general   | Normal | Carpenter' Hammer              | Taparia/Pye |  |
| 137. | Painter              | Normal | Chisel Firmer 6 mm, 25 mm set  | Taparia/Pye |  |
| 138. | general<br>Painter   | Normal | Chisel Mortise 9 mm            | Taparia/Pye |  |
| 120  | general              | Normal | m : 1                          |             |  |
| 139. | Painter<br>general   | Normai | Trying plane                   | Taparia/Pye |  |
| 140. | Painter<br>general   | Normal | Claw Hammer                    | Taparia/Pye |  |
| 141. | Painter<br>general   | Normal | Ball peen hammer 250 gm        | Taparia/Pye |  |
| 142. | Sewing<br>Technology | Normal | Thimble                        | ISI         |  |
| 143. | Sewing<br>Technology | Normal | Tailor's card scale triangular | ISI         |  |
| 144. | Sewing<br>Technology | Normal | Thread Cutter                  | ISI         |  |
| 145. | Sewing<br>Technology | Normal | Screw driver set               | ISI         |  |
| 146. | Sewing<br>Technology |        | Table sharpener                | ISI         |  |
| 147. | Sewing<br>Technology | Normal | Pattern punch                  | ISI         |  |
| 148. | Sewing<br>Technology |        | Pattern notcher                | ISI         |  |
| 149. | Sewing<br>Technology | Normal | Pattern hanging stand          | ISI         |  |
| 150. | Sewing<br>Technology |        | Stand for hanging dresses      | ISI         |  |
| 151. | Stenography          | Normal | Tool kit (hand tools)          | ISI         |  |
|      |                      |        |                                |             |  |

Superintendent Govt. ITI Kathua