GOVERNMENT OF JAMMU AND KASHMIR

Office of Superintendent Government Industrial Training Insitute Kathua

(iti kathua 123@yahoo.com, www.itikathua.in, 01922234730)

ABBREVIATED TENDER NOTICE

For and on behalf of the Governor of Jammu & Kashmir, Sealed Tenders affixed with Rs 5/- revenue stamp are invited from the Registered firms/ Reputed manufacturers/ Authorized dealers/ suppliers for supply of Tools /Equipments for the year 2014-15 for use in different trades functioning under various Schemes in Govt. ITI Kathua, as per terms & conditions given below. The interested Tenderers (registered firms/reputed manufacturers, authorized Dealers & suppliers mayobtainthe tender document having listofitems with detailed specifications either on cash payment of Rs. 300/-orthrough Indian postal order of Rs.300 (Rs.Three hundred only)in favour of "Superintendent ITI Kathua", fromtheoffice oftheundersignedonanyworkingdayafterthe publication of this notice in the Newspaper or can be downloaded from www.itikathua.in & www.jkdte.org. The downloaded tender document can be sent along with the Indian Postal Order/DD of Rs 300/- in favour of "Superintendent ITI Kathua", payable at Kathua. The Tenderdocument duly completed in all respects accompanied with the earnest money of Rs. 5,000/-(Rs. Five thousand only) in the shape of CDR/FDR pledged to the "Superintendent Govt. ITI Kathua" from any scheduled bank should reach the office of Undersigned on or before 22-11-2014 (up to 4:00PM) though Registered post, Speed post/Courier Services/by hand. In case the last date is declared a holiday, the last date of receipt of tender will be next working day. The Date /Time/ Venue for opening of Tenders will be decided by the Purchase Committee Constituted & the Tenderers will be informed accordingly for being present on that scheduled Date/Time/Venue who wish to be present while opening of tenders.

TERMS & CONDITIONS

- 1. RatesshouldbequotedstrictlyinclusiveofallTaxes(VAT,EntryTax,OtherTaxes,Packingetc). The ratesquotedshouldbeF.O.R ITI Kathua.
 - 2. Biddershouldmentionclearlythemaximumpossiblewarrantyperiodofthe tendereditemandshallprovidefreeaftersales service duringthewarrantyperiod.
 - 3. BiddershallhavetoproduceSalesTax/VATclearancecertificateforthepreceding andthelatestIncometaxclearance certificate.
 - 4. The successful biddershall compulsorily write "Brand/Make" for each item and provided emonstration of various fun ctions of equipment where applicable to the identified officials of the Institute at ITI Kathua.
 - 5. Offers shallbesupported by relevant literature/Pamphlets/Catalogues.
 - 6. The CDR will be returned in case of unsuccessful bidders. No Cheque/Bankdraft will be accepted in
 - 7. Therates shouldbe quotedclearly without any cutting/ Overwriting
 - 8. Rates shallremainvalid foraperiodofOneyear fromthedateofIssuanceof Supply Order.
 - 9. Incasetheorderedequipmentisnotsupplied within the stipulated time, penalty will be imposed
- 10. ThepaymentwillbereleasedaftertheInspection/Verificationoftheequipmentanditssatisfactory performancereportbythe verificationcommittee.
 - 11. Theundersignedreserves theright toaccept orreject thetenderorpart thereofat any stage .withoutassigningany reason.

No.ITI/K/2014/ **Superintendent** Dated:21-10-2014 Govt.ITI Kathua

Copy to the:

- 1. Director Tehnical Education J&K ,Srinagar for information
- 2. Chairman IMC for in formation
- 3. Deputy Director Technical Education, Jammu for information. This is in reference to your mail dated: 21-10-2014
- Deputy Director Information for information and with the request that above Tender Notice may please be 4. published in Two local Daily News papers preferrably in Daily Excelsior & StateTimes for maximum reach. The

year

TENDER DOCUMENT FOR TOOLS EQUIPMENTS SESSION 2014-15 Cost:Rs.300/-

| S.No | Trade | Scheme | Name of Tool item with | Make/ | Rate per | VAT | Total Rate per |
|------|-------|--------|---|----------------|----------|-----|----------------|
| | | | specification as per syllabus | Brand | Unit | | Unit |
| 1. | MMV | Normal | Allen Key set of 12 pieces (2mm to 14mm) | Taparia/Pye | | | |
| 2. | MMV | Normal | Caliper inside 15 cm Spring | ISI | | | |
| 3. | MMV | Normal | Calipers outside 15 cm spring | ISI | | | |
| 4. | MMV | Normal | Center Punch 10 mm. Dia. x 100 mm. | Taparia/Pye | | | |
| 5. | MMV | Normal | Dividers 15 cm Spring | ISI | | | |
| 6. | MMV | Normal | Electrician Screw Driver 250mm | Taparia/Pye | | | |
| 7. | MMV | Normal | Hammer ball peen 0.5 kg with handle | Taparia/Pye | | | |
| 8. | MMV | Normal | Hands file 20 cm. Second cut flat | JK | | | |
| 9. | MMV | Normal | Philips Screw Driver set of 5pieces (100 mm to 300 mm) | Taparia/Pye | | | |
| 10. | MMV | Normal | Pliers combination 20 cm. | Taparia/Pye | | | |
| 11. | MMV | Normal | Screw driver 20cm.X 9mm. Blade | Taparia/Pye | | | |
| 12. | MMV | Normal | Screw driver 30 cm. X 9 mm. Blade | Taparia/Pye | | | |
| 13. | MMV | Normal | Scriber 15 cm | Taparia/Pye | | | |
| 14. | MMV | Normal | Spanner D.E. set of 12 pieces (6mm to 32mm) | Taparia/Pye | | | |
| 15. | MMV | Normal | Spanners socket with speed handle, T-bar, ratchet and universal upto 32mm set of 28 pieces with box | Taparia/Pye | | | |
| 16. | MMV | Normal | Steel rule 30 cm inch and metric | Omega/crystall | | | |
| 17. | MMV | Normal | Steel tool box with lock and key (folding type) 400x200x150 mm | Taparia/Pye | | | |
| 18. | MMV | Normal | Wire cutter and stripper | Taparia/Pye | | | |
| 19. | MMV | Normal | Adjustable spanner (pipe wrench 350 mm) | Taparia/Pye | | | |

| 20. | MMV | Normal | Air ratchet with standard accessories | Taparia/Pye | | |
|-----|-----|--------|--|-----------------------|--|--|
| 21. | MMV | Normal | Caliper inside 15 cm Spring | ISI | | |
| 22. | MMV | Normal | Calipers outside 15 cm spring | ISI | | |
| 23. | MMV | Normal | Carburetor repair tool kit | ISI | | |
| 24. | MMV | Normal | Circlip pliers Expanding and contracting type 15cm and 20cm each | Taparia/Pye | | |
| 25. | MMV | Normal | Clamps C 100mm | Taparia/Pye | | |
| 26. | MMV | Normal | Clamps C 150mm ,200mm | Taparia/Pye | | |
| 27. | MMV | Normal | Coil spring compressor for suspension spring | ISI | | |
| 28. | MMV | Normal | Compression testing gauge suitable for diesel Engine with standard accessories | Taparia/Pye | | |
| 29. | MMV | Normal | Depth micrometer 0-25mm | Mitutoyo/Asddis on | | |
| 30. | MMV | Normal | Dial gauge type 1 Gr. A (complete with clamping devices and withmagnetic stand) | Mitutoyo | | |
| 31. | MMV | Normal | Dividers 15 cm Spring | ISI | | |
| 32. | MMV | Normal | Drift Punch Copper 15 Cm | ISI | | |
| 33. | MMV | Normal | Drill point angle gauge | ISI | | |
| 34. | MMV | Normal | Drill twist 1.5 mm to 15 mm (various sizes) by 0.5 mm | ISI | | |
| 35. | MMV | Normal | Electric testing screw driver | Taparia/Pye | | |
| 36. | MMV | Normal | Engineer's square 15 cm. Blade | Taparia/Pye | | |
| 37. | MMV | Normal | Engineers stethoscope | ISI | | |
| 38. | MMV | Normal | Executive Auto Electrical tool kit | ISI | | |
| 39. | MMV | Normal | Feeler gauge 20 blades (metric) | Taparia/Pye | | |
| 40. | MMV | Normal | File flat 20 cm bastard | JK | | |

| 41. | MMV | Normal | File, half round 20 cm second cut | JK | | |
|-----|-----|--------|---|-------------|--|--|
| 42. | MMV | Normal | File, Square 20 cm second cut | JK | | |
| 43. | MMV | Normal | File, Square 30 cm round | JK | | |
| 44. | MMV | Normal | File, triangular 15 cm second cut | JK | | |
| 45. | MMV | Normal | Files assorted sizes and types including safe edge file (20 Nos) | JK | | |
| 46. | MMV | Normal | Flat File 25 cm second cut | JK | | |
| 47. | MMV | Normal | Flat File 35 cm bastard | JK | | |
| 48. | MMV | Normal | Hacksaw frame adjustable 20- 30cm | Taparia/Pye | | |
| 49. | MMV | Normal | Hammer Ball Peen 0.75 Kg | Taparia/Pye | | |
| 50. | MMV | Normal | Hammer Chipping 0.25 Kg | Taparia/Pye | | |
| 51. | MMV | Normal | Hammer copper 1 Kg with handle | Taparia/Pye | | |
| 52. | MMV | Normal | Hammer Mallet | Taparia/Pye | | |
| 53. | MMV | Normal | Hammer Plastic | Taparia/Pye | | |
| 54. | MMV | Normal | Hand operated crimping tool (i) for crimping up to 4mm and (ii) for crimping up to 10mm | Taparia/Pye | | |
| 55. | MMV | Normal | Hand reamers adjustable 10.5 to 11.25 mm, 11.25 to 12.75 mm, 12.75 to 14.25 mm and 14.25 to 15.75 mm | Taparia/Pye | | |
| 56. | MMV | Normal | Hand Shear Universal 250mm | Taparia/Pye | | |
| 57. | MMV | Normal | Hollow Punch set of seven pieces 6mm to 15mm | Taparia/Pye | | |
| 58. | MMV | Normal | Horn and Horn relay | Taparia/Pye | | |
| 59. | MMV | Normal | Impact screw driver | Taparia/Pye | | |
| 60. | MMV | Normal | Injector cleaning unit | Taparia/Pye | | |
| 61. | MMV | Normal | Injector testing set (Hand | Taparia/Pye | | |
| | • | • | • | • | | |

| | | | tester) | | | |
|-----|-----|--------|---|-------------|--|--|
| 62. | MMV | Normal | Insulated Screw driver 20 cm x 9mm blade | Taparia/Pye | | |
| 63. | MMV | Normal | Insulated Screw driver 30 cm x 9mm blade | Taparia/Pye | | |
| 64. | MMV | Normal | Left cut snips 250mm | Taparia/Pye | | |
| 65. | MMV | Normal | Magneto spanner set with 8 spanners | Taparia/Pye | | |
| 66. | MMV | Normal | Outside micrometer 0 to 25 mm | Mitutoyo | | |
| 67. | MMV | Normal | Outside micrometer 25 to 50 mm | Mitutoyo | | |
| 68. | MMV | Normal | Outside micrometer 50 to 75 mm | Mitutoyo | | |
| 69. | MMV | Normal | Outside micrometer 75 to 100 mm | Mitutoyo | | |
| 70. | MMV | Normal | Philips Screw Driver set of 5 pieces (100 mm to 300 mm) | Taparia/Pye | | |
| 71. | MMV | Normal | Pipe cutting tool | Taparia/Pye | | |
| 72. | MMV | Normal | Pipe flaring tool | Taparia/Pye | | |
| 73. | MMV | Normal | Piston ring compressor | Taparia/Pye | | |
| 74. | MMV | Normal | Piston Ring expander and remover. | Taparia/Pye | | |
| 75. | MMV | Normal | Piston Ring groove cleaner. | Taparia/Pye | | |
| 76. | MMV | Normal | Pliers combination 20 cm. | Taparia/Pye | | |
| 77. | MMV | Normal | Pliers flat nose 15 cm | Taparia/Pye | | |
| 78. | MMV | Normal | Portable electric drill Machine | Taparia/Pye | | |
| 79. | MMV | Normal | Prick Punch 15 cm | Taparia/Pye | | |
| 80. | MMV | Normal | Punch Letter 4mm (Number) | Taparia/Pye | | |
| 81. | MMV | Normal | Scriber 15 cm | Taparia/Pye | | |
| 82. | MMV | Normal | Spanner Clyburn 15 cm | Taparia/Pye | | |

| | | Newsel | | T . | | T |
|------|-------------|--------|--|----------------|--|---|
| 83. | MMV | Normal | Spanner T. flocks for screwing up and up-screwing inaccessible | Taparia/Pye | | |
| 84. | MMV | Normal | Spanner, adjustable 15cm. | Taparia/Pye | | |
| 85. | MMV | Normal | Spanners socket with speed handle, T-bar, ratchet and universal upto | Taparia/Pye | | |
| 86. | MMV | Normal | Spark lighter | Taparia/Pye | | |
| 87. | MMV | Normal | Starter motor axial type, pre engagement type & Co-axial type | Taparia/Pye | | |
| 88. | MMV | Normal | Steel measuring tape 10 meter in a case | Omega/Crystall | | |
| 89. | MMV | Normal | Steel rule 15 cm inch and metric | Omega/Crystall | | |
| 90. | MMV | Normal | Steel rule 30 cm inch and metric | Omega/Crystall | | |
| 91. | MMV | Normal | Torque wrenches 50-225 Nm | Taparia/Pye | | |
| 92. | MMV | Normal | Trammel 30 cm | Taparia/Pye | | |
| 93. | MMV | Normal | Tread wear indicator | Taparia/Pye | | |
| 94. | MMV | Normal | Universal puller for removing pulleys, bearings | Taparia/Pye | | |
| 95. | MMV | Normal | Vernier caliper 0-300 mm with least count 0.02mm | Mitutoyo | | |
| 96. | MMV | Normal | Vice grip pliers | Taparia/Pye | | |
| 97. | Electrician | Normal | Steel tape,15 m length | Omega/Crystall | | |
| 98. | Electrician | Normal | C-Clamp 200 mm, 150 mm and 100 mm | Taparia/Pye | | |
| 99. | Electrician | Normal | Spanner Adjustable 150 mm 300mm | Taparia/Pye | | |
| 100. | Electrician | Normal | Blow Lamp 0.5 Itr | Taparia/Pye | | |
| 101. | Electrician | Normal | Chisel Cold Firmer 25X200mm | Taparia/Pye | | |
| 102. | Electrician | Normal | Chisel 25 mm & 6 mm | Taparia/Pye | | |
| | | | | | | |

| 103. | Electrician | Normal | Rawl plug tool & bit | Taparia/Pye | | |
|------|--------------------|--------|---|----------------|--|---|
| 104. | Electrician | Normal | Pully Puller | Taparia/Pye | | |
| 105. | Electrician | Normal | Bearing Puller | Taparia/Pye | | |
| 106. | Electrician | Normal | Thermometer 0 to 100 deg Centigrade | Taparia/Pye | | |
| 107. | Electrician | Normal | Scissors Blade 150 mm | Taparia/Pye | | |
| 108. | Electrician | Normal | Crimping Tool | Taparia/Pye | | |
| 109. | Electrician | Normal | Chisel Cold flat12 mm | Taparia/Pye | | |
| 110. | Electrician | Normal | Mallet hand wood 0.50 kg | Taparia/Pye | | |
| 111. | Electrician | Normal | Hammer Extractor ttype 0.40 kg | Taparia/Pye | | |
| 112. | Electrician | Normal | Hacksaw frame 200 mm 300 mm adjustable | Taparia/Pye | | |
| 113. | Electrician | Normal | Outside & Inside Divider Calliper | Taparia/Pye | | |
| 114. | Electrician | Normal | Tweezers 100 mm | Taparia/Pye | | |
| 115. | Electrician | Normal | D.E. Metric Spanner | Taparia/Pye | | |
| 116. | Electrician | Normal | Drill S.S.Twist block 2 mm, 5mm 6mm set of 3 | Taparia/Pye | | |
| 117. | Electrician | Normal | Plane, smoothing cutters 50 mm | Taparia/Pye/JK | | |
| 118. | Electrician | Normal | Gauge, wire imperial | Taparia/Pye | | |
| 119. | Electrician | Normal | File flat 250 mm bastard | JK | | |
| 120. | Electrician | Normal | File Flat 250 mm smooth | JK | | |
| 121. | Painter general | Normal | Rule wooden(size 2 No4 inch) | ISI | | |
| 122. | Painter general | Normal | Divider steel 1 No50 mm | Omega/ISI | | |
| 123. | Painter general | Normal | Plumb bob 2 No oz | ISI | | |
| 124. | Painter general | Normal | Knife Chisel | Taparia/Pye | | |
| 1 | | • | | | | - |

| 125. | Painter general | Normal | Knife Stopping | Taparia/Pye | | |
|------|----------------------|--------|--------------------------------|-------------|--|--|
| 126. | Painter general | Normal | Knife Hacking | Taparia/Pye | | |
| 127. | Painter general | Normal | Scraper | Taparia/Pye | | |
| 128. | Painter general | Normal | Pliers Insulated | Taparia/Pye | | |
| 129. | Painter general | Normal | Pincer | Taparia/Pye | | |
| 130. | Painter general | Normal | Screw Driver 2 No00 mm | Taparia/Pye | | |
| 131. | Painter general | Normal | Stainless Steel Rule 48" | Omega/ISI | | |
| 132. | Painter general | Normal | Orbital wire brushes | Taparia/Pye | | |
| 133. | Painter general | Normal | Scriber | Taparia/Pye | | |
| 134. | Painter general | Normal | Hand Saw 450 mm | Taparia/Pye | | |
| 135. | Painter general | Normal | Tannin Saw 300 mm to 375 mm | Taparia/Pye | | |
| 136. | Painter general | Normal | Carpenter' Hammer | Taparia/Pye | | |
| 137. | Painter general | Normal | Chisel Firmer 6 mm, 25 mm set | Taparia/Pye | | |
| 138. | Painter general | Normal | Chisel Mortise 9 mm | Taparia/Pye | | |
| 139. | Painter general | Normal | Trying plane | Taparia/Pye | | |
| 140. | Painter general | Normal | Claw Hammer | Taparia/Pye | | |
| 141. | Painter general | Normal | Ball peen hammer 250 gm | Taparia/Pye | | |
| 142. | Sewing Technology | Normal | Thimble | ISI | | |
| 143. | Sewing Technology | Normal | Tailor's card scale triangular | ISI | | |
| 144. | Sewing Technology | Normal | Thread Cutter | ISI | | |
| 145. | Sewing Technology | Normal | Screw driver set | ISI | | |

| 146. | Sewing Technology | | Table sharpener | ISI | | |
|------|----------------------|--------|---------------------------|-----|--|--|
| 147. | Sewing Technology | Normal | Pattern punch | ISI | | |
| 148. | Sewing Technology | | Pattern notcher | ISI | | |
| 149. | Sewing Technology | Normal | Pattern hanging stand | ISI | | |
| 150. | Sewing Technology | | Stand for hanging dresses | ISI | | |
| 151. | Stenography | Normal | Tool kit (hand tools) | ISI | | |

Superintende

Govt. ITI Kathua